


HALLETT ZIP TOP SAIL COVER MEASUREMENTS



Customer _____ Date _____

Type of Boat _____

Stack of sail, top of boom to top of flaked sail **(A)** _____

Distance from back of mast to end of boom **(B)** _____

Type of slide or slug in boom _____

Mast circumference **(C)** _____


Distance from back face of mast to 1st reef **(D)** _____

Distance from back face of mast to 2nd reef **(E)** _____

Color _____

Other _____

HALLETT STANDARD MAIN/MIZZEN SAIL COVER MEASUREMENTS



Customer _____ Date _____

Type of Boat _____

Stack of sail, bottom of boom to top of flaked sail **(A)** _____

Mast Circumference **(C)** _____

End of sail or boom to be covered to back face of mast **(B)** _____

Circumference of flaked sail at aft end **(D)** _____

Circumference of flaked sail at half length **(E)** _____

Circumference of flaked sail at quarter length from mast end **(F)** _____


Location of Winches, circle all that apply

MAST Port Starboard **BOOM** Port Starboard **NONE**

Color _____

Other _____

HALLETT JIB / STAYSAIL COVER MEASUREMENTS



Customer _____ Date _____

Type of Boat _____

Stack of sail on stay **(A)** _____

Circumference of flaked sail at half length **(B)** _____

Total length **(C)** _____

Circumference of flaked sail at aft end **(D)** _____

End of Jib to top of stack **(X)** _____

Pick up strap for halyard **Yes** **No**

Color _____

Other _____
